

INDEX

Synonyms are in *italics*

- Abies amabilis**, 2, 67
 balsamea, 67
 var. *hudsonica*, 71
 brachyphylla, 67
 cephalonica, 2, 67
 var. *appolinis*, 2, 67
 cilicica, 67
 concolor, 67, 71
 Delavayi, 68
 grandis, 2, 67
 holophylla, 67
 homolepis, 67
 lasiocarpa, 67, 70, 71
 dwarf, 70
 magnifica, 2
 Nordmaniana, 67
 Pinsapo, 2
 sachalinensis, 2
 sibirica, 67
 Veitchii, 67
Acanthopanax ricinifolius, 41
Acer Davidii, 10
 diabolicum var. *purpurascens*, 8
 fulvescens, 10
 ginnala, 48
 griseum, 10
 Henryi, 10
 longifolium, 10
 nikoense, 58
 pictum parviflorum, 10
 platanoides, 36
 rubrum, 49
 saccharum, 8
 Sieboldianum, 58
 sinense, 13
 tataricum, 44
 tetramerum, 13
Aesculus arguta, 19
 Bushii, 20
 discolor var. *mollis*, 20
 georgiana, 20, 44
 var. *pubescens*, 20
 glabra *Buckleyi*, 16
 var. *leucodermis*, 16
 Aesculus Harbisonii, 20
 Hippocastanum, 36
 parviflora, 20
 Ailanthus, 34
 Akebia lobata, 58
 quinata, 58
 Amelanchier asiatica, 16
 canadensis, 16
 florida, 16
 laevis, 16
 oblongifolia, 16
 pumila, 16
 sanguinea, 16
 stolonifera, 16
 vulgaris, 16
 Amelanchiers, late-flowering, 16
 American Beech, 35
 American Horsechestnut, 36
 American White Ash, 35
 American White Oaks, 58
 Andromeda floribunda, 6, 32
 Aralia spinosa, 47
 Arbor Vitae, 68, 70
 dwarf forms of, 71
 compacta, 71
 Hoveyi, 71
 Little Gem, 71
 Arboretum, some late October
 colors in, 57
 Arnold Crab, 16
 Ash, European, 35
 Ashes, 62
 Ash-trees, Chinese, 10
 Asiatic Crabapples, 11, 12
 Asiatic Mountain Ashes, 50
 Austrian Briar Rose, 27
 Autumn flowers, 47
 Autumn foliage, 48
 Azalea Kaempferi, 9
 Azalea mollis, 20
 Vaseyi, 24
 Azaleas, 9
 early American, 24
 Korean, 12

- Balkan Spruce, 67
 Balsam Fir, 71
 Barberries, Chinese, 10
 evergreen, 7, 63
 in late October, 60
 Beech, American, 35
 Benzoin sericium, 14, 63
 obtusilobum, 14, 63
 Berberis amurensis, 60
 circumserrata, 60
 diaphana, 60
 dictyophylla, 60
 Gagnepainii, 7, 63
 Hakkodate, 60
 Julianae, 7, 63
 koreana, 60
 lucida, 60
 Regelii, 60
 repens, 7
 Sargentiana, 7, 63
 triacanthophora, 10
 Vernae, 24
 verruculosa, 7, 63
 vulgaris, 60
 Wilsonae, 10
 var. *Stapfiana*, 10
 Betula Maximowiczii, 35
 papyrifera, 35
 pendula, 35
 Birch, Canoe, 35
 trees, European, 35
 Bitter Pecan, 11
 Black Oak, 61
 Black Pine, Japanese, 67
 Bladder Sennas, 14
 Blueberry, Highbush, 60
 Blueberries in autumn, 60
 Box, European, 7
 Box, Japanese, 7
 Huckleberry, 64
 Broad-leaved Evergreens, 6, 9, 64
 Buckeye, Ohio, 16
 Buckeyes, 19
 Buckeyes, early-flowering, 16
 Buddleias, Chinese, 10
 Buffalo Berry, 3
 Burning Bush, 48, 51, 52
 Bur Oak, 58
 Bush Honeysuckles, 18
 Butternut, Chinese, 9
 Buxus japonica, 7
 California Torreya, 6
 Camperdown Elm, 39
 Canadian Plum, 8
 Canadian Yew, 5
 Canoe Birch, 35
 Carolina Hemlock, 2, 67
 Carya myristiciformis, 11
 texana, 11
 Castanea, 36
 mollissima, 36
 Catalpa bignonioides, 41
 Bungei, 62
 Caucasian Spruce, 67
 Ceanothus Wrightii, 14, 63
 Cedar, Incense, 2, 68
 of Lebanon, 2, 66, 70
 Red, 70, 71
 White, 2, 66
 Cedrus atlantica glauca, 1, 66
 Celtis georgiana, 14
 mississippiensis, 14
 Cephalotaxus drupacea, 6
 Fortunei, 6
 Cercidiphyllum, 34
 Chamaecyparis Lawsoniana, 70
 obtusa, 71
 obtusa nana, 71
 pisifera, 71
 var. *filifera*, 71
 thyoides, 2, 66
 Chamaedaphne calyculata, 6
 Cherries, 4
 Cherry, Japanese Spring, 4
 Sargent, 4
 Chestnut, European, 36
 Japanese, 36
 Oaks, 58
 Chinese Ash-trees, 10
 Barberries, 10
 Buddleias, 10
 Butternut, 9
 Conifers, 68
 Cotoneasters, 9
 Dipeltas, 14
 Hemlock, 68
 Honeysuckles, 10
 Hydrangeas, 10
 Maples, 13

- Chinese Pears, 8
 Poplars, 9
 Rhododendrons, 7
 Roses, 13
 Spiraeas, 10
 Viburnums, 7
 Weeping Willow, 34
 White Mulberry, 34
 White Pine, 67
 Cladrastis lutea, 26
 Coluteas, 63
 Conifers, Chinese, 68
 dwarf, 69
 Cornish Elm, 38
 Cornus controversa, 23
 florida, 20, 58
 kousa, 32
 paucinervis, 14, 63
 Corylopsis, 4, 63
 Gotoana, 4, 44, 63
 pauciflora, 4, 63
 spicata, 4, 63
 Veitchiana, 4, 63
 Willmottae, 4, 63
 Cotoneaster Dielsiana
 var. elegans, 9
 divaricata, 22
 horizontalis, 9
 var. perpusilla, 9
 hupehensis, 22, 43
 multiflora var. calocarpa, 16, 22, 43
 nitens, 22, 43
 racemiflora var. soongorica,
 16, 22, 43
 salicifolia
 var. floccosa, 9
 var. rugosa, 9
 Chinese, 9
 Cotoneasters, early-flowering, 9
 Crabapples, Asiatic, 11, 12
 Crabapples in autumn, 45
 Crab, Arnold, 16
 Rinki, 46
 Crataegus arkansana, 15, 53
 Arnoldiana, 15, 53
 Boyntonii, 56
 Buckleyi, 56
 coccinioides, 54
 cuprea, 55
 Delosii, 55
 Crataegus durobrivensis, 55
 fructuosa, 55
 infera, 55
 macracantha, 54
 modesta, 55
 mollis, 15, 53
 nigra, 15
 nitida, 54
 pinnatifida, 23
 pruinosa, 55
 prunifolia, 54
 submollis, 15, 54
 succulenta, 54
 Cypress, Lawson's, 70
 Daphne cneorum, 7
 genkwa, 10, 62
 Davidia, 3
 Deutzia discolor, 10
 grandiflora, 20
 hypoglauca, 27
 Lemoinei, 27
 var. Boule de Neige, 27
 longifolia, 10
 parviflora, 27
 Diervilla florida venusta, 24, 43
 praecox, 24
 hybrids, 24
 Conquérant, 24
 Fleur de Mai, 24
 Gracieux, 24
 Vestale, 24
 Diervillas, early, 24
 Diospyros virginiana, 11, 62
 Dipeltas, 63
 Chinese, 14
 Dirca palustris, 3
 Dogwood, Flowering, 20, 58
 Douglas Spruce, 67, 71
 Dutch Elm, 39
 Dwarf Conifers, 69
 Dwarf forms of the Norway Spruce,
 70
 Dwarf Hawthorns, 55
 Dwarf Hemlocks, 71
 Earliest Roses, 20
 Early American Azaleas, 24
 Diervillas, 24
 Early-flowering Buckeyes, 16

- Early-flowering Cotoneasters, 16**
 Hawthorns, 15
 Lilacs, 14
 Magnolias, 3
 Rhododendrons, 3, 21
 shrubs, 3
Effects of the severe winter,
 1, 5, 9, 13
Ehretia acuminata, 3
Elm, Camperdown, 39
 Cornish, 38
 Dutch, 39
 English, 37, 38
 Guernsey, 38
 Huntingdon, 39
 Scotch, 38
 White, 35
 Wych, 38
Elms, Paddock, 37
English Elm, 37, 38
 Oak, 14
 Spindle-tree, 52
 Walnut, 36
Enkianthus, 59
japonicus, 59
perulatus, 59
Eucommia, 3
European Ash, 35
 Birch-trees, 35
 Box, 7
 Chestnut, 36
 Horsechestnut, 36
 Larch, 34
 Willows, 34
 Yew, 5
Evergreen Barberries, 7, 63
 broad-leaved, 6, 9, 64
Evodias, Chinese, 41
Evonymus alatus, 48, 52
americanus, 52
atropurpureus, 52
Bungeanus, 52
europaeus, 52
 var. *ovata*, 52
latifolius, 52
Maackii, 52
ovatus, 52
yeddoensis, 52
Exochorda Giraldii, 14
 var. *Wilsonii*, 14
Exochorda grandiflora, 14
Korolkowii, 14
macrantha, 14
racemosa, 14
Fir, Balsam, 71
 Silver, 71
Flowering Dogwood, 20, 58
 Oaks, 62
Forsythia europaea, 10
intermedia, 10
suspensa, 10
 var. *Fortunei*, 60
Forsythias, 10, 60
Fortunearia sinensis, 13, 64
Fraxinus americana, 35
excelsior, 35
mandshurica, 35
Ornus, 62
Paxiana, 62
platypoda, 10
retusa,
 var. *Henryi*, 10
sogdiana, 62
syriaca, 62
Gaylussacia brachycera, 64
Ginkgo, 33
Ground Hemlock, 5
Guernsey Elm, 38
Hamamelis japonica, 11, 59
mollis, 11, 59
vernalis, 10, 59
virginiana, 59
Harrison Rose, 27
Hawthorns, early-flowering, 15
 handsome in the autumn, 53
Hemlock, Carolina, 2, 67
 Chinese, 2, 68
 Ground, 5
Hemlocks, dwarf, 71
Hercules' Club, 47
Hickory, Nutmeg, 11
Highbush Blueberry, 60
Holly, 6
Honeysuckle, Chinese, 7
 Tartarian, 19
Honeysuckles, Bush, 18
Horsechestnut, American, 36

- Horsechestnut, European, 36
 Hungarian Lilac, 23
 Huntingdon Elm, 39
 Hybrid Philadelphus, 31
 Hydrangeas, Chinese, 10
 Ilex crenata, 6, 62
 glabra, 6, 62
 opaca, 6, 62
 pedunculosa, 6
 Incease Cedar, 68
 Indigofera amblyantha, 47
 Inkberry, 6, 62

 Japanese Black Pine, 67
 Box, 7
 Chestnut, 36
 Plums, 8
 Spring Cherry, 4
 White Oaks, 34
 Juglans cathayensis, 10
 regia, 10, 36
 Juniperus chinensis, 72
 dwarf forms, 72
 var. Pfitzeriana, 72
 var. Sargentii, 72
 communis, 2, 70
 var. depressa, 72
 conferta, 72
 horizontalis, 72
 procumbens, 72
 sabina, 70
 var. minor, 72
 virginiana, 70, 72
 var. globosa, 72
 var. Kosteriana, 72
 Kalmia angustifolia, 6
 latifolia, 6, 32
 Korean Azaleas, 12

 Larch, European, 34
 Laurel, Mountain, 32
 Sheep, 6
 Lawson's Cypress, 70
 Leaf, Leather, 6
 Leather Leaf, 6
 Leatherwood, 3
 Lemoine Hybrid Philadelphus, 31
 Lespedeza formosa, 48
 Leucothoe axillaris, 6
 Catesbaei, 6, 64

 Libocedrus decurrens, 2
 Ligustrum Delavayanum, 10
 Lilac, Hungarian, 23
 Persian, 18
 Lilacs, 17, 18
 Lindens, 35, 41, 42
 Lindera obtusiloba, 63
 Liquidambar, 11
 formosana, 62
 var. monticola, 13
 Locust, a pink-flowered, 28
 Lonicera bella, 19
 chrysantha, 19
 coerulea, 44
 Henryi, 7, 64
 microphylla, 19
 minutiflora, 19
 Morrowii, 18
 musciensis, 19
 notha, 19
 orientalis, 19
 pileata, 10
 similis var. Delavayi, 10, 62
 tatarica, 19
 Xylosteum, 19

 Maddenia hypoleuca, 4
 Magnolia conspicua, 4
 denudata, 4
 kobus, 3
 var. borealis, 3
 salicifolia, 4
 stellata, 3
 Wilsonii, 62
 Magnolias, early-flowering, 3
 Mahonia repens, 7, 64
 Mahonias, 7
 Malus angustifolia, 11
 Arnoldiana, 16, 46
 baccata, 47
 var. Jackii, 47
 var. mandshurica, 12, 47
 cerasifera, 12, 16
 floribunda, 16, 46
 micromalus, 12
 prunifolia, 46
 Sargentii, 47
 Sieboldiana, 46
 var. calocarpa, 47
 sikkimensis, 11

- Malus transitoria*, 47
 yunnanensis, 11
 Maple flowers, 8
 Norway, 36
 Red, 49
 Scarlet, 49
 Sugar, 8, 36
 Maples, Chinese, 13
 Midseason Lilacs, 23
 Mock Oranges, 29
Morus alba, 34
 Mountain Ashes, 19, 50
 Laurel, 32
 Mt. Atlas Cedar, 1

 Native and foreign trees, 33
Neillia affinis, 10
 longiracemosa, 10
 sinensis, 10
 Nettle-trees, 14
 New Chinese Lilacs, 25
 Norway Maple, 36
 Spruce, 67
 dwarf forms of, 70
 Nutmeg Hickory, 11
Nuttallia cerasiformis, 14
Nyssa sylvatica, 31, 61

 Oak, Bur, 58
 Chestnut, 58
 English, 14
 Overcup, 58
 Pin, 57
 Post, 58
 Red, 14, 57
 Scarlet, 57
 Shingle, 14
 Swamp White, 58
 Turkey, 14, 57
 White, 57, 58
 Willow, 14
 Oaks, 61
 American White, 58
 Chestnut, 58
 Ohio Buckeye, 16
Osmaronia cerasiformis, 14, 63
 Overcup Oak, 58, 61

Pachystima Canbyi, 64
 Paddock Elms, 37

 Peach-tree, wild, 3
 Pears, Chinese, 8
 Pear-tree, a pink-flowered, 8
 Pecan, Bitter, 11
 Persian Lilac, 18
 Walnut, 36
 Yellow Rose, 27
 Persimmon, 11, 62
 Philadelphus, 29
 coronarius, 30
 Falconerii, 31
 grandiflorus, 30
 hybrid, 31
 inodorus, 30
 insignis, 31
 latifolius, 30
 Lemoinei, 31
 Conquête, 31
 Madgalenae, 30
 maximus, 31
 microphyllus, 30
 pekinensis, 30
 pubescens, 30
 purpurascens, 30
 Schneekii var. *Jackii*, 31
 Souvenir de Billard, 31
 splendens, 31
Picea Abies, 67
 var. *Clanbrasiliana*, 70
 var. *Ellwangeriana*, 70
 var. *Gregoriana*, 70
 var. *nana*, 70
 var. *prostrata*, 70
 canadensis, 67
 Engelmannii, 67
 obovata, 67
 omorica, 67
 orientalis, 67
 pungens, 67
Picea pungens compacta, 71
 rubra, 2, 66
 Sargentiana, 2, 68
 Schrenkiana, 67
Pieris floribunda, 6
 japonica, 6
 Pine, Chinese White, 2
 Mexican White, 2
 Scotch, 71
 short-leaved, 2
 Spanish, 2

- Pine, Sugar, 2, 67
 Umbrella, 68
 White, 71
 Pinetum, 65
 Pink-flowered Locust, 28
 Pink-flowered Pear-tree, 8
 Pin Oak, 57
 Pinus Armandi, 2, 67
 Ayacahuite, 2
 Banksiana, 68
 Bungeana, 68
 Cembra, 68
 densiflora, 2
 var. *umbraculifera*, 70
 echinata, 2, 66
 gracilis, 68
 Jeffreyi, 68
 koraiensis, 68
 Lambertiana, 2, 67
 montana, 68, 69, 70
 dwarf forms of, 71
 monticola, 68
 Mughus, 71
 nigra, 68
 tenuifolia, 2
 parviflora, 68
 ponderosa var. *scopulorum*, 68
 pumilio, 71
 pungens, 68
 sinensis var. *denudata*, 2
 var. *yunnanensis*, 2
 Strobus, 71
 dwarf, 71
 sylvestris, 68, 71
 dwarf, 71
 Thunbergii, 2, 67
 virginiana, 68
 Plum, Canadian, 8
 Plums, 4, 8
 Poliothyrsis sinensis, 13, 64
 Poplars, Chinese, 9
 Silver, 34
 Populus alba, 34
 canescens, 34
 lasiocarpa, 9
 Maximowiczii, 33
 tomentosa, 34
 yunnanensis, 9
 Post Oak, 58
 Prinsepia sinensis, 4, 43
 Prunus alleghaniensis, 8
 americana, 8
 caroliniana, 29
 Conradinae, 10
 Davidiana, 3
 domestica, 8
 hortulana, 8
 incisa, 7
 Lannesiana, 14
 Munsoniana, 8
 nigra, 8
 salicina, 8
 serullata var. *pubescens*, 58
 var. *sachalinensis*, 4
 subhirtella, 4
 tomentosa, 4
 triloba, 4
 Watsonii, 8
 Pseudolarix, 34
 Pseudotsuga mucronata, 67
 var. *globosa*, 71
 Pyrus Calleryana, 8, 56
 ovoidea, 8
 Quercus alba, 57
 arkansana, 11
 bicolor, 58
 Catesbaei, 57
 Cerris, 14, 61
 coccinea, 57
 falcata, 14, 61
 georgiana, 14, 61
 heterophylla, 14, 61
 imbricaria, 14
 lyrata, 58, 61
 macrocarpa, 58
 minor, 58
 montana, 58
 Muehlenbergii, 58
 palustris, 57
 Phellos, 14, 61
 prinoides, 58
 Robur var. *pendula*, 14, 61
 rubra, 14, 61
 velutina, 61
 Red Cedar, 70, 71
 Red Oak, 14, 57, 61
 Red Spruce, 66
 Rhododendron, a good, 40

- Rhododendron azlaeoides, 7
 Boule de Neige, 21, 22
 calendulaceum, 24
 canescens, 24
 carolinianum, 22
 catawbiense, 32
 Chinese, 7
 ciliatum, 3
 dahuricum, 3
 var. sempervirens, 3
 Early Gem, 3
 fragrans, 7
 Glennyi, 40
 Gomer Waterer, 7
 Jacksonii, 22
 James Smith, 7
 japonicum, 20, 48
 Kaempferi, 9
 Marquis of Waterford, 7
 Marshall Brooks, 7
 maximum, 32
 micranthum, 7
 Mont Blanc, 22
 Mrs. C. S. Sargent, 7
 Mrs. Thomas Agnew, 7
 mucronulatum, 3
 nudiflorum, 24
 poukhanense, 12
 praecox, 3
 Schlippenbachii, 12
 Smirnowii, 22
 Vaseyi, 24
 Rhododendrons, early-flowering,
 3, 21
 Rhus Potaninii, 14, 63
 Rinki Crab, 46
 Robinia hispida, 28
 var. Decaisneana, 28
 var. Pseudoacacia, 28
 Robinia viscosa, 28
 Rochester Thorn, 55
 Rosa banksiopsis, 13
 bella, 13
 corymbulosa, 13
 Davidii, 13
 davurica, 13
 Ecae, 13, 20
 filipes, 13
 foetida, 27
 var. bicolor, 27
 Rosa Gentiliana, 13
 Helena, 13
 Hugonis, 13, 20, 43
 Jackii, 43
 Moyesii, 13
 rosea, 13
 multibracteata, 13
 multiflora cathayensis, 13
 omeiensis, 13
 Prattii, 13
 saturata, 13
 sertata, 13
 setipoda, 13
 spinosissima, 28
 var. altaica, 24
 var. fulgida, 28
 var. *grandiflora*, 24
 var. hispida, 28
 var. luteola, 28
 Sweginzowii, 13
 Willmottae, 13
 xanthina, 13
 Rose Acacia, 28
 Austrian Briar, 27
 Harrison, 27
 Persian Yellow, 27
 Scotch, 28
 Roses, Chinese, 13
 the earliest, 20
 Salix alba, 34
 babylonica, 34
 Bockii, 14, 63
 fragilis, 34
 Salvia officinalis, 7
 Sapindus Drummondii, 11
 Sargent Cherry, 4
 Scarlet Oak, 57
 Scotch Elm, 38
 Pine, 71
 Rose, 28
 Sennas, Bladder, 14
 Shad Bushes, 16
 Sheep Laurel, 6
 Shepherdia argentea, 3
 Shingle Oak, 14
 Shrubs, early-flowering, 3
 injured by the winter, 62
 some good, 42
 Silver Fir, 71

- Silver Poplars, 34
 Sinowilsonia, 63
 Sophora japonica, 41
 viciifolia, 13, 62
 Sorbus alnifolia, 19, 51
 americana, 19, 51
 var. *decora*, 19, 51
 Aucuparia, var. *fastigiata*, 50
 var. *dulcis*, 50
 var. *lanuginosa*, 50
 var. *moravica*, 50
 var. *pendula*, 50
 commixta, 50
 Koehneana, 51
 pallescens, 13
 pekinensis, 50
 pohuashanensis, 51
 Sour Gum, 31, 61
 Sour Wood, 41
 Southern Red Oak, 14
 Spanish Fir, 2
 Oak, 61
 Spindle-tree, 51
 Asiatic, 52
 European, 52
 Spiraea Veitchii, 44
 Spiraeas, Chinese, 10
 Spring, the early, 21
 Spruce, Balkan, 67
 Caucasian, 67
 Douglas, 67
 Norway, 67, 70
 Red, 2, 66
 Stachyurus chinensis, 13, 64
 Staphylea holocarpa, 13, 14, 64
 Strawberry Bush, 52
 Stuartia pseudocamellia, 58
 Styrax americana, 10
 dasyantha, 10
 Styrax japonica, 10
 obassia, 10
 Sugar Maple, 8, 36
 Pine, 2, 67
 Summer-flowering Trees, 41
 Swamp White Oak, 58
 Sycopsis sinensis, 13
 Symplocos paniculata, 13
 Syringa affinis, 14
 var. *Giraldii*, 14
 chinensis, 18
 Syringa chinensis var. *alba*, 18
 Condorcet, 17
 Congo, 17
 De Mirabel, 17
 Deuil d'Emile Gallé, 17
 Dielsiana, 25
 Edmond Boissier, 17
 Fürst Lichtenstein, 17
 Grand Duc Constantin, 17
 Henryi, 23
 var. *eximia*, 23
 var. *Lutèce*, 23
 hyacinthiflora, 15
 inodorus, 30
 Josikaea, 23
 Julianae, 26
 Justi, 18
 Koehneana, 23
 Komarowii, 25, 26
 Languis, 17
 L'Oncle Tom, 17
 Ludwig Späth, 18
 Macrostachya, 17
 Marie Legraye, 18
 Marliensis pallida, 17
 Maurice de Vilmorin, 17
 Meyeri, 26
 microphyllus, 18, 26, 30
 oblata, 14
 persica, 18
 var. *alba*, 18
 var. *laciniata*, 18
 Philemon, 18
 pinnatifolia, 26
 Potaninii, 25
 President Loubet, 17
 pubescens, 15, 18, 26, 30
 Réamur, 17
 reflexa, 25, 43
 Rehderiana, 25
 Sargentiana, 25
 Sweginzowii, 25, 26, 43
 tetanoloba, 25
 tomentella, 25, 26
 Toussaint Louverture, 17
 verrucosa, 25
 villosa, 23
 vulgaris, 17
 Waldeck Rousseau, 17
 Wilsonii, 25

Syringa Wolfii, 23, 26
 yunnanensis, 26

Tartarian Honeysuckle, 19

Taxus baccata, 5
 erecta, 5
 repandens, 5

Taxus canadensis, 5
 cuspidata, 5
 var. chinensis, 5

Teucrium chamaedrys, 7

Thorn, Rochester, 55

Thuja orientalis, 68
 plicata, 2, 68

Tilia americana, 35, 42
 cordata, 42
 glabra, 35, 42
 heterophylla, 42
 japonica, 42
 Michauxii, 42
 neglecta, 41, 42
 petiolaris, 42
 platyphyllos, 41
 spectabilis, 42

var. Moltkei, 42
 tomentosa, 42

vulgaris, 36, 41, 42

Torreya californica, 6
 nucifera, 5

Trees, native and foreign, 33
 summer-flowering, 41

Tsuga caroliniana, 2, 67
 chinensis, 2, 68
 diversiflora, 68
 heterophylla, 2, 68

Tsuga Sieboldiana, 68

Tulip-tree, Chinese, 56

Tupelo, 31

Turkey Oak, 14, 57, 61

Ulmus americana, 35
 campestris, 37
 foliacea, 38
 var. suberosa, 38
 var. umbraculifera, 38
 glabra, 38
 var. pendula, 39
 hollandica, 39
 var. belgica, 39

Ulmus hollandica var. major, 39
 var. vegeta, 39

laevis, 40

major, 39

minor, 39

nitens, 38

procera, 37

var. viminalis, 38

sativa, 39

Umbrella Pine, Japanese, 68

Vaccinium canadense, 60

corymbosum, 60

pennsylvanicum, 60

vacillans, 60

Viburnum bracteatum, 28

buddleifolium, 7, 64

Carlesii, 59

cassinoides, 28

Lentago, 21

molle, 28

ovatifolium, 13, 14, 64

rhytidophyllum, 7, 64

Viburnums, Chinese, 7, 64

Virgilia, 26

Walnut, English, 36

Persian, 36

Weeping Willow, Chinese, 34

White Ash, American, 35

Cedar, 2, 66

Elm, 35

Mulberry, Chinese, 34

Oak, 57, 58

Oaks, Japanese, 34

Pine, 71

White Pine, Chinese, 67

Wild Peach-tree, 3

Willow Oak, 14, 61

Wisconsin, 34

Willows, European, 34

Wisconsin Willow, 34

Witch Hazels, 10, 59

Wych Elm, 38

Yellowwood, 26

Yew, Canadian, 5

European, 5